



Order no.: 051205

Platform stairs, with double-sided access, with spring-loaded castors, steel grating





Number of steps

2x3	2x4	2x5	2x6	2x7	2x8
-----	-----	-----	-----	-----	-----

Specification

Working height 3.2 m	Step design	Number of steps/rungs	Platform included as step	Step/Platform surface
	Steps	2x 5 steps	Yes	Steel grating
Non-slip class	Platform height	Height	Platform length	Platform width
R10	1.2 m	2.2 m	800 mm	600 mm
Step depth	Step/Rung distance	Inclination	Depth of side-rails	Width of side-rails
200 mm	240 mm	60 °	57 mm	24 mm
Castor diameter 125 mm	Base area length 2.07 m	Base area width 880 mm	Max. load capacity 150 kg	Design type Freestanding Double-sided access With castors
Transport dimensions 2080 x 896 x 1197 mm, 53 kg	Business division MUNK Günzburger Steigtechnik	Order no. 051205		

Facts

- Aluminium platform stairs double-sided
- Stable rectangular tube side-rails
- Steps with a depth of 200 mm
- Roomy platform (600 x 800 mm)



- Railing on both sides and knee and toe board for safe stance (height: 1,000 mm)
- Four Ø 125 mm self-locking swivel castors, 2 with locking device
- Easy to assemble (delivered unassembled)
- In accordance with DIN EN 131-7, handrails are optional for ascending platform ladders with an ascent angle ≥ 60°
- Available in various step and platform designs
- Maximum load: 150 kg

Scope of supply

Platform stairs: 1 x

Swivel castor: 4 x

Instructions for use and operation: 1 x

Information on sustainability criteria

Corporate certification: ISO 9001

Corporate certification: ISO 14001

Corporate certification: EN 1090

Corporate certification: EcoVadis

- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic



No health hazards for the users

More product pictures





Added value

Safe working

- Handrails for safe ascent and descent
- Large-format, non-slip platforms
- Conical side-rail guide for safe stance
- Railings and knee boards for safe access and stance



Castors

- Ergonomic and comfortable handling
- Simple movement from place to place



Industrial grade

Stable and robust for tough everyday working life (including 4-way edging)

- Corrosion-resistant fixtures
- Use of high-quality and high-strength materials
- Versatile and practical accessories



Sponsored by BG BAU

Specification subject to conditions; for the latest information please visit the BG BAU website (statutory accident insurance company for the construction and construction related services in Germany). Since 2014, the BG BAU has been promoting the purchase of platform ladders, step stools and ladder accessories with single-sided and double-sided access. All members of the BG BAU profit from this. This aims to prevent work accidents on building sites and improve ergonomic working practices. For more information by BG BAU, please visit:

www.bgbau.de/service/angebote/arbeitsschutzpraemie

A brief overview of the subsidy and an overview of our eligible products can be found on our website under know-how.



Certificates





Corporate certifications

on sustainability criteria







