

Order no.: 019901

MaxxStep step module

Length [mm]



356

405

493

581



Specification

Product type	Length	Width	Height	Step depth
Accessories	276 mm	85 mm	58 mm	80 mm
Material Aluminium	Transport dimensions 273 x 85 x 53 mm, 0.32 kg	Business division MUNK Günzburger Steigtechnik	Order no. 019901	

Facts

- Suitable for rung ladders from MUNK
 Günzburger Steigtechnik made of aluminium
 and glass-fibre reinforced plastic (not for
 telescopic ladders)
- For ergonomic, comfortable and fatigue-free standing when working in accordance with TRBS 2121 Part 2
- Can be mounted flexibly on any rung up to the last accessible rung (not with Rung Safe R 13)
- Quick and tool-free installation thanks to double clamping screws with locking device
- Can optionally be equipped with clip-step step padding, clip-step R13 and clip-step relax



Available in different lengths

Scope of supply

Step module: 1 x

Information on sustainability criteria

Corporate certification: ISO 9001

Corporate certification: ISO 14001

Corporate certification: EN 1090

Corporate certification: EcoVadis

- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users



More product pictures





Corporate certifications

on sustainability criteria







