



Order no.: 011114

## Roof ladder, red



Number of rungs

7

10

### Specification

|                                     |   |  |                       |                              |
|-------------------------------------|---|--|-----------------------|------------------------------|
| Ladder length<br>1.96 m             | Number of steps/rungs<br>7 rungs                    | Step/Rung distance<br>280 mm                         | Outer width<br>330 mm | Depth of side-rails<br>90 mm |
| Colour version<br>Red powder-coated | Transport dimensions<br>1960 x 330 x 90 mm,<br>4 kg | Business division<br>MUNK Günzburger<br>Steigtechnik | Order no.<br>011114   |                              |

### Facts

- Suitable for all common roof coverings and roof inclinations from 22.5° to 60° according to standard DIN 4567-4
- Side-rails made of sturdy aluminium section
- Triangular rungs with powerful grooves adapted to the roof pitch for a secure footing
- Large distance between roof covering and rung to prevent damage to the roof covering
- Integrated connecting tabs for easily attaching any number of additional ladder sections
- Available in natural aluminium and four coatings (brick red, red-brown, Terra Brown RAL 8028, Anthracite Grey RAL 7016)

- Rung distance: 280 mm
- Ladder width: 330 mm
- Maximum load: 150 kg

### Scope of supply

- Ladder: 1 x
- Instructions for use and operation: 1 x

### Information on sustainability criteria

---

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

## More product pictures

---



## Added value

---

### Industrial grade

Stable and robust for tough everyday working life  
(including 4-way edging)

- Corrosion-resistant fixtures
- Use of high-quality and high-strength materials
- Versatile and practical accessories



# Corporate certifications

on sustainability criteria



Management  
System  
ISO 9001:2015  
ISO 14001:2015  
  
www.tuv.com  
ID 9108612548



**Nachhaltigkeit**

**EcoVadis**  
sustainable supply management

CSR-Rating in Silber 2022