

Order no.: 930610

Joint edge profile



Specification

Material Plastics	Weight per metre 28 g/m	Groove size 8 mm	Dimension A 6 m	Dimension B 34 mm
Dimension C 11.9 mm	Dimension D 5.5 mm	Order no. 930610		

Facts

- Plastic insert for mounting in profile slot (pushing/hammering in)
- Serves as a protective edge on frames, doors and fixtures
- Abrasion-resistant surface
- Available in different lengths. Specify the length you require when you place your order
- Colour: black

Description

The joint edge profile is a plastic insert that is inserted into the profile slot. It serves as a protective edge on frames, doors and fixtures and has an abrasion-resistant surface. The joint edge profile is available in different lengths and can be ordered in the length required.

Scope of supply

- Joint edge profile, cut to the required length (max. 6 m): 1 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Corporate certifications

on sustainability criteria



Management
System
ISO 9001:2015
ISO 14001:2015

www.tuv.com
ID 9108612548



Nachhaltigkeit

EcoVadis
sustainable supply management

CSR-Rating in Silber 2022