

Order no.: 930611

Cover and edging profile



Specification

Material Plastics	Weight per metre 25 g/m	Groove size 8 mm	Dimension A 10.2 mm	Dimension B 8.5 mm
Order no. 930611				

Facts

- Cover profile for covering profile slots
- For optimising your construction and making it look more elegant
- For concealing cables
- Assembly possible without tools
- Available in different lengths. Specify the length you require when you place your order

Description

The cover and edging profile is a plastic cover profile for covering profile slots. It is intended to optimise your construction and make it look more elegant. This profile is suitable for concealing cables and can be assembled without using tools. The profile is available in different lengths and is cut to the required length.

Scope of supply

- Cover and edging profile, cut to the required length (max. 6 m): 1 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Corporate certifications

on sustainability criteria



Management
System
ISO 9001:2015
ISO 14001:2015

www.tuv.com
ID 9108612548



Nachhaltigkeit

EcoVadis
sustainable supply management

CSR-Rating in Silber 2022