

Order no.: 027945

Folding frame unit with swivel castors

Scaffolding width [mm]

750

1350



Specification

Scaffolding width 750 mm	Suitable for Folding scaffolding	Weight 21.5 kg	Transport dimensions 1540 x 905 x 231 mm, 21.5 kg	Business division MUNK Günzburger Steigtechnik
Order no. 027945	Price € 766.00			

Facts

- Parking brake on each castor for additional safety
- Smooth-running castors ensure effortless movement
- Suitable for folding scaffolding with order no. 115301–115601

Scope of supply

- Frame: 1 x
- Swivel castor: 4 x
- Installation material: 1 x
- Assembly instructions and instructions for use: 1 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Corporate certifications

on sustainability criteria



Management
System
ISO 9001:2015
ISO 14001:2015

www.tuv.com
ID 9108612548



Nachhaltigkeit

EcoVadis
sustainable supply management

CSR-Rating in Silber 2022

