



Order no.: 050043

Work platform rigid with handrail



Number of steps

- 3
- 4
- 5

Specification

Working height 2.6 m	Platform height 600 mm	Top surface depth 550 mm	Top surface width 300 mm	Step/Platform surface Aluminium tibial plate
Non-slip class R10	Base area length 880 mm	Base area width 740 mm	Design type Single-sided access   Rigid	Number of steps/rungs 3 steps
Platform included as step Yes	Height 1.2 m	Max. load capacity 150 kg	Material Aluminium	Transport dimensions 880 x 755 x 600 mm, 9 kg
Transport dimensions 2 1010 x 590 x 30 mm, 1.4 kg	Business division MUNK Günzburger Steigtechnik	Order no. 050043		

Facts

- Aluminium work platform
- Sturdy, welded bar design
- 220 mm deep steps made of aluminium chequered plate for a secure footing
- Top tread surface: 550 x 300 mm
- Non-slip plastic shoes

- Increased safety thanks to one-sided handrail (height: 600 mm). This is enclosed separately and can easily be screwed on (holes on the right)
- Step spacing 200 mm
- Maximum load: 150 kg

### Scope of supply

- Platform: 1 x
- Handrail (enclosed separately): 1 x
- Assembly instructions and instructions for use: x

### Information on sustainability criteria

---

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

## More product pictures

---



## Added value

---

### Safe working

- Handrails for safe ascent and descent
- Large-format, non-slip platforms
- Sturdy designs for secure stance



### Industrial grade

- Robust design for demanding applications
- Use of high-quality and high-strength materials



### Variant diversity

- Step stools with basic constructions made of aluminium rectangular tube slide-rails or steel round tube
- Welded and bolted versions
- Various step and platform designs



### From small to large

- The right product for every application
- One-sided and two-sided variants



### Non-slip plastic shoes

- Ensure secure stance
- High impact and abrasion resistance
- Simple replacement in the event of wear



### Added ergonomics

- Integrated or retrofittable castors for easy movement from place to place
- Handles for ergonomic handling
- Foldable products for easy transport



## Sponsored by BG BAU

Specification subject to conditions; for the latest information please visit the BG BAU website (statutory accident insurance company for the construction and construction related services in Germany). Since 2014, the BG BAU has been promoting the purchase of platform ladders, step stools and ladder accessories with single-sided and double-sided access. All members of the BG BAU profit from this. This aims to prevent work accidents on building sites and improve ergonomic working practices. For more information by BG BAU, please visit:  
[www.bgbau.de/service/angebote/arbeitsschutzpraemien](http://www.bgbau.de/service/angebote/arbeitsschutzpraemien)

A brief overview of the subsidy and an overview of our eligible products can be found on our website under [know-how](#).

## Certificates

---



## Corporate certifications

on sustainability criteria



Management  
System  
ISO 9001:2015  
ISO 14001:2015  
  
[www.tuv.com](http://www.tuv.com)  
ID 9108612548



**Nachhaltigkeit**

**EcoVadis**  
sustainable supply management

CSR-Rating in Silber 2022