


Order no.: 050214

# Handrail for platform stairs, with double-sided access



Suitable for

- Platform stair 3-stage
- Platform stair 4-6-stage
- Platform stair 7-8-stage



## Specification

Suitable for Platform stairs	Product type Accessories	Length 1.04 m	Width 649 mm	Diameter 35 mm
Material Aluminium	Transport dimensions 1040 x 645 x 74 mm, 2.62 kg	Business division MUNK Günzburger Steigtechnik	Order no. 050214	

## Facts

- Ergonomic handle height for comfortable use
- Increases safety when using platform stairs
- Requires customer assembly on the left or right of the ascent
- Suitable for platform stairs, double-sided
- Note: The handrails should be installed in alignment

## Scope of supply

- Handrail (enclosed separately): 2 x
- Assembly instructions: 1 x
- Installation material: 1 x

## Information on sustainability criteria

---

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

## More product pictures

---



Corporate certifications

---

on sustainability criteria



Management  
System  
ISO 9001:2015  
ISO 14001:2015  
  
www.tuv.com  
ID 9108612548



Nachhaltigkeit

EcoVadis  
sustainable supply management

CSR-Rating in Silber 2022