

Order no.: 027923

Chassis bar

Length [mm]

2082

2582



Specification

| | | | | |
|--|---|---------------------|------------------------------------|-------------------|
| Length 2.08 m | Width 115 mm | Height 330 mm | Suitable for Mobile scaffolding | Weight 18.5 kg |
| Transport dimensions 2085 x 115 x 330 mm, 18.5 kg | Business division MUNK Günzburger Steigtechnik | Order no. 027923 | Price € 326.00 | |

Facts

- Enables safe working at height
- Increases the stability and safety of the mobile scaffolding
- For mobile scaffolding
- Galvanised steel

Scope of supply

- Chassis beam: 1 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Corporate certifications

on sustainability criteria



Management System
ISO 9001:2015
ISO 14001:2015

www.tuv.com
ID 9108612548



Nachhaltigkeit

EcoVadis
sustainable supply management

CSR-Rating in Silber 2022

