



Order no.: 070506

# Frame extension can be clamped on

# Specification

| Length<br>1.07 m                                       | Width<br>125 mm                                      | Height<br>148 mm    | Suitable for<br>Mobile scaffolding  <br>Folding scaffolding | Weight<br>2.32 kg |
|--|--|---------------------|---|-------------------|
| Transport dimensions<br>148 x 125 x 1065<br>mm, 2.3 kg | Business division<br>MUNK Günzburger<br>Steigtechnik | Order no.<br>070506 | Price<br>€ 632.00   |                   |

### **Facts**

- Maximum stability on uneven ground
- Height-adjustable, can easily be mounted on the scaffolding bar if necessary
- Adjustment range max. 400 mm
- Delivery time: 10 working days

# Scope of supply

Frame extension: 1 x



## Information on sustainability criteria

Corporate certification: ISO 9001

Corporate certification: ISO 14001

Corporate certification: EN 1090

Corporate certification: EcoVadis

RoHS

■ REACH

■ The MUNK Group complies with a Code of Conduct

The Supply Chain Act does not apply due to our size

The materials used are listed in the technical specification

Resource-saving production: own photovoltaic systems

Energy-efficient consumption during production: LED lighting

Repairability, durability and quality: 15-year warranty on series products made in Germany

Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.

Socially acceptable working conditions in production: fair wages, gender equality

Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic

No health hazards for the users

## More product pictures





# Corporate certifications

### on sustainability criteria









